

## References for Module 2

- Allen, S. (2007, June 17). Backlash on bipolar disorder. *The Boston Globe*. Retrieved from [http://www.boston.com/yourlife/health/children/articles/2007/06/17/backlash\\_on\\_bipolar\\_diagnoses\\_in\\_children/](http://www.boston.com/yourlife/health/children/articles/2007/06/17/backlash_on_bipolar_diagnoses_in_children/)
- Berenson, Alex. (2006, January 1). Antidepressants seem to cut suicide risk. *The New York Times*. Retrieved from <http://www.nytimes.com/2006/01/01/health/01depress.html?ex=1187755200&en=9659d0e0e167bcf9&ei=5070>
- Bhatara, V., Feil, M., Hoagwood, K., Vitiello, B., & Zima, B. (2004). National trends in concomitant psychotropic medication with stimulants in pediatric visits: Practice versus knowledge. *Journal of Attention Disorders*, 7(4), 217-226.
- Breland-Noble, A.M., Elbogen, E.B., Farmer, E.M.Z., Dubs, M.S., Wagner, H.R., & Burns, B.J. (2004). Use of psychotropic medications by youths in therapeutic foster care and group homes. *Psychiatric Services*, 55(6), 706-708.
- Carey, B. (2006, June 6). Use of antipsychotics by the young rose fivefold. *The New York Times*. Retrieved from <http://travel.nytimes.com/2006/06/06/health/06psych.html?fta=y>
- Carey, B. (2006, March 7). Study details link of drugs and thoughts of suicide. *The New York Times*. Retrieved from <http://www.nytimes.com/2006/03/07/health/07depress.html?ex=1187755200&en=e30e21ac48130a13&ei=5070>
- Carey, B., & Harris, G. (2006, May 12). Antidepressant may carry suicide risk. *The New York Times*. Retrieved from <http://www.nytimes.com/2006/05/12/health/12depress.html?ex=1187755200&en=e1853b257ebc9120&ei=5070>
- CBS Evening News (2006, 18 October). *Are Drugs Being Misused On Foster Kids?* Retrieved from <http://www.cbsnews.com/stories/2006/10/18/eveningnews/main2104249.shtml>
- CBS News (2004, October 15). FDA orders antidepressant warnings. Retrieved from <http://www.cbsnews.com/stories/2004/08/04/health/main634089.shtml>

- Cooper, W.O., Hickson, G.B., Fuchs, C., Arbogast, P.G., & Ray, W.A. (2004). New users of antipsychotic medications among children enrolled in TennCare. *Archives of Pediatrics & Adolescent Medicine*, 158: 753-759.
- Cooper, W.O., Arbogast, P.G., Ding, H., Hickson, G.B., Fuchs, D.C., and Ray, W. (2006). Trends in prescribing of antipsychotic medications for U.S. Children. *Ambulatory Pediatrics*, 6, 79-83.
- Coyle, J. T. (2000). Psychotropic drug use in very young children. *JAMA: Journal of the American Medical Association*, 283(8), 1059-1060.
- Correll, C., & Carlson, H. (2006). Endocrine and metabolic adverse effects of psychotropic medications in children and adolescents, *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(7), 771-791. [electronic pdf]
- dosReis, S., Zito, J. M., Safer, D. J., & Soeken, K. L. (2001). Mental health services for youths in foster care and disabled youths. *American Journal of Public Health*, 91(7), 1094-1099.
- dosReis, S., Zito, J. M., Safer, D. J., Gardner, J. F., Puccia, K. B., & Owens, P. L. (2005). Multiple psychotropic medication use for youths: A two-state comparison. *Journal of Child and Adolescent Psychopharmacology. Special Issue on Psychopharmacoepidemiology*, 15(1), 68-77.
- Duggan (2005). Do new prescription drugs pay for themselves? The case of second-generation antipsychotics. *Journal of Health Economics*, 24, 1-31.
- Elias, M. (2006, May 2). New antipsychotic drugs carry risks for children. *USA Today*, retrieved from [http://www.usatoday.com/news/health/2006-05-01-atypical-drugs\\_x.htm?loc=interstitialskip](http://www.usatoday.com/news/health/2006-05-01-atypical-drugs_x.htm?loc=interstitialskip)
- Elias, M. (2006, May 2). Adult antipsychotics worsen troubles. *USA Today*, retrieved from [http://www.usatoday.com/news/health/2006-05-01-adult-antipsychotics-kids\\_x.htm](http://www.usatoday.com/news/health/2006-05-01-adult-antipsychotics-kids_x.htm)
- Elias, M. (2006, May 2). A rush to overprescribe? *USA Today*, retrieved from [http://www.usatoday.com/news/health/2006-05-01-kids-overprescribe\\_x.htm](http://www.usatoday.com/news/health/2006-05-01-kids-overprescribe_x.htm)
- Farley, R. (2007, July 29). The atypical dilemma: Skyrocketing numbers of children are prescribed powerful antipsychotic drugs. Is it safe? Nobody knows. *St. Petersburg Times*. Retrieved from [http://www.sptimes.com/2007/07/29/Worldandnation/The\\_atypical\\_dilemma.shtml](http://www.sptimes.com/2007/07/29/Worldandnation/The_atypical_dilemma.shtml)

- Farley, R. (2008, April 12). Drug research: To test or to tout? *St. Petersburg Times*. Retrieved from <http://www.tampabay.com/news/health/article454391.ece>
- Florida Center for Medicaid and the Uninsured (2005). A dilemma for state Medicaid programs: A look at the methods of addressing the rising pharmaceutical expenditures for treatments of mental health disorders. *Health Coverage Updates, Issue Brief*, January, 2005. Retrieved from [http://fcmu.phhp.ufl.edu/pdf/1\\_issue\\_briefs\\_and\\_fact\\_sheets/fcmu\\_issue\\_briefs/IssueBrief03-StateMedicaidProgramsDilemma.pdf](http://fcmu.phhp.ufl.edu/pdf/1_issue_briefs_and_fact_sheets/fcmu_issue_briefs/IssueBrief03-StateMedicaidProgramsDilemma.pdf)
- Florida Statewide Advocacy Council (2003) *Red Item Report: Psychotropic Drug Use in Foster Care*. Retrieved from [http://www.floridasac.org/sacweb/documents/red\\_psychotropic.doc](http://www.floridasac.org/sacweb/documents/red_psychotropic.doc)
- Green, D.L., Hawkins, W., & Hawkins, M. (2005) Medication of children and youth in foster care. *Journal of Social Work in Disability & Rehabilitation*, 4(1/2), 43-55.
- Goode, E. (2003, January, 14). Study finds jump in children taking psychiatric drugs. *The New York Times*. Retrieved from <http://query.nytimes.com/gst/fullpage.html?res=9906EEDE1231F937A25752C0A9659C8B63&n=Top/Reference/Times%20Topics/People/G/Goode,%20Erica>
- Goodwin, R., Gould, M.S., Blanco, C., & Olfson, M. (2001). Prescription of psychotropic medications to youths in office-based practice. *Psychiatric Services*, 52(8), 1081-1087.
- Harris, G. (2006, August 22). FDA strengthens warnings on stimulants. *The New York Times*, Retrieved from <http://www.nytimes.com/2006/08/22/health/policy/22fda.html?ex=1313899200&en=30ee5026f29179e3&ei=5088&partner=rssnyt&emc=rss>
- Harris, G. (2006, November 22) Proof is scant on psychiatric drug mix for young. *The New York Times*. Retrieved from <http://www.nytimes.com/2006/11/23/health/23kids.html?scp=1&sq=psychiatric+medicines+and+children&st=nyt>
- Jensen, P.S., Bhatara, V.S., Vitiello, B., Hoagwood, K., Feil, M., and Burke, L.B. (1999). Psychoactive medication prescribing practices for U.S. children: Gaps between research and clinical practice. *Journal of the Academy of Child and Adolescent Psychiatry*, 38(5), 557-565.
- Johnson, L.A. (2006, August 9). Study cites need for therapy. *The Miami Herald*, Page 7A.

- Leslie, L.K., Weckerly, J., Landsverk, J., Hough, R.L., Hurlburt, M.S., Wood, P.A. (2003). Racial/ethnic differences in the use of psychotropic medication in high-risk children and adolescents. *Journal of the Academy of Child and Adolescent Psychiatry*, 42(1), 1433-1442.
- Marbin-Miller, C. (2005, May 5). New law curbs drugging of kids. *The Miami Herald*, page 1A.
- Marbin-Miller, C. (2005, January 15). 1 in 4 foster kids on risky mind medications. *The Miami Herald*, Page, 1A.
- Marbin-Miller, C. (2006, September 23). No list of kids on mood drugs. *The Miami Herald*, Page 1B.
- Martin, A., Sherwin, T., Stubbe, D., Van Hoof, T., Scahill, L., & Leslie, D. (2002). Use of multiple psychotropic drugs by Medicaid-insured and privately insured children. *Psychiatric Services*, 53(12), 1508.
- Martin, A. & Leslie, D. (2003). Trends in psychotropic medication costs for children and adolescents, 1997-2000. *Archive of Pediatrics & Adolescent Medicine*, 157: 997-1004.
- Medco Health Solutions. (2004). News Releases: *Medco Study Reveals Pediatric Spending Spike on Drugs to Treat Behavioral Problems*. Retrieved from: <http://medco.mediaroom.com/index.php?s=43&item=158>
- Medco Health Solutions. (2006). *2006 Drug Trend Report*. Retrieved from <http://medco.mediaroom.com/index.php?s=64&cat=5>
- MSNBC (2006, March 13). *States wrestle with medicating kids*. Retrieved from <http://www.msnbc.msn.com/id/17597241/>
- MSNBC (2006, May 3). *Antipsychotic drug use among kids soars*. Retrieved from <http://www.msnbc.msn.com/id/12616864>
- Office of the Inspector General (2003) *Medicaid's Mental Health Drug Expenditures. A Report by the Office of the Inspector General*. U.S. Department of Health and Human Services Report OEI-05-02-00080. Retrieved from <http://oig.hhs.gov/oei/reports/oei-05-02-00080.pdf>
- Olfson, M., Marcus, S.C., Weissman, M.M., & Jensen, P.S. (2002). National trends in the use of psychotropic medications by children. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41(5), 514-21.

- Olfson, M., Blanco, C., Liu, L., Moreno, C., & Laje, G. (2006). National trends in the outpatient treatment of children and adolescents with antipsychotic drugs. *Archives of General Psychiatry*, 63(6), 679-685.
- Patel, N.C., Crismon, M.L., Hoagwood, K., Johnsrud, M.T., Rascati, K.L., Wilson, J.P. & Jensen, P.S. (2005). Trends in the use of typical and atypical antipsychotics in children and adolescents. *Journal of the Academy of Child & Adolescent Psychiatry*, 44(6), 548-556).
- Pathak, S., Arszman, S.P., Danielyan, A., Johns, E. S., Smirnov, A., Kowatch, R.A. (2004) Psychotropic Utilization and Psychiatric Presentation of Hospitalized Very Young Children *Journal of Child and Adolescent Psychopharmacology*, 14(3), 433-442.
- Pharmaceutical Executive (2007) *Annual Report on the World's Top 50 Pharmaceutical Companies*. Advanstar Communications: Marietta, GA. Retrieved from <http://pharmexec.findpharma.com/pharmexec/data/articlestandard//pharmexec/512007/480240/article.pdf>
- Price, J.H. (2007, April 1). Spending on psychotropic drugs soars. *The Washington Times*. Retrieved from <http://www.washingtontimes.com/national/20070401-120128-5227r.htm>
- Raeburn, P. (2007, May 30). Kids on meds – Trouble ahead. Antidepressants, designed for adults, may be altering the brains of kids who take them. *Scientific American*. Retrieved from <http://www.sciam.com/article.cfm?chanID=sa017&articleID=D901A079-E7F2-99DF-37A3A8CBB9CC8A6F&ref=rss>
- Raghavan, R., Zima, B. T., Andersen, R. M., Leibowitz, A. A., Schuster, M. A., & Landsverk, J. (2005). Psychotropic medication use in a national probability sample of children in the child welfare system. *Journal of Child and Adolescent Psychopharmacology. Special Issue on Psychopharmacoepidemiology*, 15(1), 97-106.
- Rappley, M.D. (2006). Actual psychotropic medication use in preschool children. *Infants & Young Children*, 19(2), 154-163.
- Rodriguez, E. (2005, March 9). Bill guides DCF on kids' drugs. *The Miami Herald*, Page 1B.

- Safer, D. J., Zito, J. M., & dosReis, S. (2003). Concomitant psychotropic medication for youths. *American Journal of Psychiatry*, 160(3), 438-449.
- Stagnitti, M.N. (2007). *Trends in the use and expenditures for the therapeutic class prescribed psychotherapeutic agents and all subclasses, 1997 and 2004*. Statistical Brief #163. Agency for Healthcare Research and Quality, Rockville, MD.
- St. Luke's Health Initiatives (2006) *FlashPoint Issue Brief: Children, Adolescents and Psychotropic Medications*. Retrieved from [http://www.slhi.org/publications/issue\\_briefs/pdfs/ib-2006-August.pdf](http://www.slhi.org/publications/issue_briefs/pdfs/ib-2006-August.pdf)
- Thomas, C. P., Conrad, P., Casler, R., & Goodman, E. (2006). Trends in the use of psychotropic medications among adolescents, 1994 to 2001. *Psychiatric Services*, 57(1), 63-69.
- USA Today (2006, May 2). *For kids, oversight of prescriptions is scarce*. Retrieved from [http://www.usatoday.com/news/health/2006-05-01-antipsychotics-foster-kids\\_x.htm](http://www.usatoday.com/news/health/2006-05-01-antipsychotics-foster-kids_x.htm)
- Vitiello, B. (2001) Psychopharmacology for young children: clinical needs and research opportunities. *Pediatrics*, 108(4), 983-989.
- Vitiello, B., Zuvekas, S.H., & Norquist, G.S. (2006). National estimates of antidepressant medication use among U.S. children, 1997-2002. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(3), 271-279.
- Waller, R.J., Lewellen, K., & Bresson, D. (2005). The debate surrounding psychotropic medication usage in young children. *School Social Work Journal*, 29(2), 53-61.
- Wong, I. C. K., Murray, M. L., Camilleri-Novak, D., & Stephens, P. (2004). Increased prescribing trends of paediatric psychotropic medications. *Archives of Disease in Childhood*, 89(12), 1131-1132.
- Zito, J. M., & Safer, D. J. (2001). Services and prevention: Pharmacoeconomics of antidepressant use. *Biological psychiatry*, 49(12), 1121-1127.
- Zito, Safer, dosReis et al. (2003) Psychotropic practice patterns for youth: a 10-year perspective. *Archives of Pediatrics & Adolescent Medicine*, 157(1), 17-25.
- Zito, J. M., Safer, D. J., dosReis, S., Gardner, J. F., Boles, M., & Lynch, F. (2000). Trends in the prescribing of psychotropic medications to preschoolers. *JAMA : the journal of the American Medical Association*, 283(8), 1025-1030.