

References for Module 7

- Austrian, S.G. (2005). *Mental disorders, medications and clinical social work* (3rd ed.). New York: Columbia University Press.
- Bellonci, C., & Henwood, T. (2006) *Use of psychotropic medications in child welfare: the needs and challenges of informed consent, ordering, and tracking of medication for children in state custody*. Presentation to the Tennessee Department of Children's Services. Retrieved on November 28, 2007 from the National Resource Center for Family-Centered Practice and Permanency Planning website:
<http://www.hunter.cuny.edu/socwork/nrcfcpp/downloads/ppt/Psychotropic-Medications.ppt>
- Bentley, K.J., & Walsh, J. (2006). *The social worker and psychotropic medication: toward effective collaboration with mental health clients, families, and providers* (3rd ed.). Belmont, CA: Thomson Brooks/Cole.
- Bentley, K. J., Walsh, J., & Farmer, R. (2005). Referring clients for psychiatric medication: Best practices for social workers. *Best Practices in Mental Health*, 2005, 1, 1, Jan, 1(1), 59-71.
- Bentley, K. J., Walsh, J., & Farmer, R. L. (2005). Social work roles and activities regarding psychiatric medication: Results of a national survey. *Social work*, 50(4), 295-303.
- Bentley, K. J. (1993). The right of psychiatric patients to refuse medication: Where should social workers stand? *Social Work*, 1993, 38, 1, Jan, 38(1), 101-106.
- Bradley, S.S. (2003). The psychology of the psychopharmacology triangle: The client, the clinicians, and the medication. *Social Work in Mental Health*, 4(1), 29-50.

- Bronstein, L. R. (2003). A model for interdisciplinary collaboration. *Social work, 48*(3), 297-306.
- Buccino, D.L. (2006). Social work's role in psychiatric medication [Letters]. *Social Work, 6*(1), 188-189.
- Cohen, D. (2007). Helping individuals withdraw from psychiatric drugs. *Journal of College Student Psychotherapy, 21*(3/4), 199-224.
- Frost, N., Robinson, M., & Anning, A. (2005). Social workers in multidisciplinary teams: Issues and dilemmas for professional practice. *Child & Family Social Work, 10*(3), 187-196.
- Ingersoll, R. E. (2002). An integral approach for teaching and practicing diagnosis. *The Journal of Transpersonal Psychology, 34*, 115-127.
- Jordan, C., & Franklin, C. (2003). *Clinical assessment for social workers: quantitative and qualitative methods* (2nd ed.). Chicago, IL: Lyceum Books, Inc.
- Jordan, S., Knight, J., & Pointon, D. (2004). Monitoring adverse drug reactions: Scales, profiles, and checklists. *International nursing review, 51*(4), 208-221.
- Kalachnik, J. E. (1999). Measuring side effects of psychopharmacologic medication in individuals with mental retardation and developmental disabilities. *Mental retardation and developmental disabilities research reviews, 5*(4), 348-359.
- King, J. H., & Anderson, S. M. (2004). Therapeutic implications of pharmacotherapy: Current trends and ethical issues. *Journal of Counseling & Development, 82*(3), 329-336.
- McLeod, J.D., Pescosolido, B.A., Takeuchi, D.T., & Falkenberg White, T. (2004). Public attitudes toward the use of psychiatric medications for children. *Journal of Health and Social Behavior, 45*(3), 53-67.

- Meyers, L. (2007). Empty bottles: easing clients off meds. *Monitor on Psychology*, 38(3), p. 20-21.
- Marquis, A. (2008). *The integral intake: A guide to comprehensive idiographic assessment in integral psychotherapy*. New York: Routledge.
- Mizrahi, T., & Abramson, J. (2000). Collaboration between social workers and physicians: Perspectives on a shared case. *Social Work in Health Care*, 31(3), 1-24.
- Moses, T., & Kirk, S. A. (2006). Social workers' attitudes about psychotropic drug treatment with youths. *Social work*, 51(3), 211-222.
- National Association of Social Workers. (2005). Social workers, medication, and scope of practice. Washington, DC: Author. Retrieved on February 6, 2007 from http://www.socialworkers.org/ldf/legal_issue/200505.asp?print=1
- Otis, H. G., & King, J. H. (2006). Unanticipated psychotropic medication reactions. *Journal of Mental Health Counseling*, 28(3), 218-240.
- Rappaport, N., & Chubinsky, P. (2000). The meaning of psychotropic medications for children, adolescents and their families. *Journal of the Academy of Child and Adolescent Psychiatry*, 39(9), 1198-1200.
- Rivas-Vasquez, R. A., Johnson, S. L., Blais, M. A., & Rey, G. J. (1999). Selective serotonin reuptake inhibitor syndrome: Understanding, recognition, and management for psychologists. *Professional Psychology: Research and Practice*, 30, 464-469.
- Shojania, K. G. (2006). Safe medication prescribing and monitoring in the outpatient setting. *Canadian Medical Association journal*, 174(9), 1257-1258.
- Slavin, P. (2004). Teamwork key in managing medication: social workers' role vital in promoting adherence. *NASW News*, 49(6) [online]. Retrieved on August 30,

2007 from

<http://www.socialworkers.org/pubs/news/2004/06/teamwork2.asp?back=yes>

Taylor, M. F., & Bentley, K. J. (2005). Professional dissonance: Colliding values and job tasks in mental health practice. *Community mental health journal*, 41(4), 469-480.

Walsh, J., Farmer, R., Taylor, M. F., & Bentley, K. J. (2003). Ethical dilemmas of practicing social workers around psychiatric medication: Results of a national study. *Social Work in Mental Health*, 1(4), 91-105.

Weene, K. A. (2002). The psychologist's role in the collaborative process of psychopharmacology. *Journal of clinical psychology*, 58(6), 617-621.